

INDEX MAPS.

T. 7 N. R. 9 E. 2nd Mer.

	75	75	75	74	74	74	
	76	76	76	76	76	77	
79	6	100	5	100	4	91	3
	100	99	94	90	90	86	1
79	7	99	8	94	9	89	10
	98	99	94	89	85	85	
78	18	98	17	93	16	89	15
	97	97	93	88	83	83	
78	19	97	20	93	21	88	22
	96	96	92	88	82	81	
77	30	96	29	92	28	87	27
	95	95	92	87	82	80	
77	31	95	32	91	33	87	34
	70	69	69	69	69	69	

T. 8 N. R. 9 E. 2nd Mer.

	110	109	109	109	108	108	
	134	133	131	130	120	119	
112	6	134	5	131	4	130	3
	134	133	131	130	120	119	117
112	7	133	8	131	9	125	10
	132	132	126	126	125	119	117
111	18	132	17	125	16	124	15
	132	129	124	122	116	114	
111	19	128	20	123	21	121	22
	128	128	123	121	115	113	
110	30	127	29	123	28	121	27
	127	126	123	121	115	113	
110	31	126	32	122	33	120	34
	104	104	103	103	103	103	

The figures on the lines refer to the page.

Township N: 8 North, Range N: 9 East 2: Mer. Ind.^a 103
ch. 1/4

South Boundary.

Random line — Course S 89 1/2° W.

West On S. boundary of Sec. 36

9.55 a Brook 5th, wide Cr. N 80° W.

28.35 Same 5 " " , runs with the line crossing
[at times]

40.00 Let temp. q^r. Sec. post

40.30 leave the above brook runs S 70° W

49.70 a Brook 4th, wide Cr. S.

54.97 a do 4 " " S.

80.00 Let temp. Cor. to Sec. 35 & 36

Land waving, timber Beech, Poplar, Sugar
Oak, Hickory &c.

West On S. boundary of Sec. 35

10.00 a Brook 4th, wide Course S. W.

32.75 a do 4 " " N.

40.00 Let temp. q^r. Sec. post

50.20 a Brook 4th, wide Course S. W.

67.00 a Creek 80th " S. W.

80.00 Let temp. Cor. to Sec. 34 & 35

Land timber &c. same as on the last mile

West On S. boundary of Sec. 34

5.75 a Creek 80th, wide Cr. S. W.

29.00 Same 80 " " S. W.

39.10 a brook 6 " " S.

40.00 Let temp. q^r. Sec. post

69.00 a brook 4th, wide Course S.

80.00 Let temp. Cor. to Sec. 33 & 34

Land hilly Beech, Oak, Poplar, Sugar &c.

West On S. boundary of Sec. 33

2.85 a brook 6th, wide Cr. S.

40.00 Let temp. q^r. Sec. post

41.44 a brook 6th, wide Cr. S. W.

80.00 Let temp. Cor. to Sec. 32 & 33

T 8 N 9 E. 2nd Mer. Ind.
 chth Sand level, Beech, Sugar, Oak, Poplar &c.

West On S. boundary of Sec. 32

4.70 at Brook 8th m. wide Corner S. W.

18.90 a do. 15 " " " S.

40.00 Let temp^y. q^r. Sec. post

80.00 Let temp^y. Cor. to Secs. 31 & 32

Sand flat timber Beech, Oak, Poplar Gum &c.

West On S. boundary of Sec 31

40.00 Let temp^y. q^r. Sec. post, brook 6th m. wide cor. S. W.

76.14 Let 13th m. S. of Town Corner.

Sand timber &c. same as on last mile

True Line

East On S. boundary of Sec. 31

17.44 a 1st m. Oak 16 in. dia.

36.14 a Beech 15 in. dia. q^r. Sec. post, from which
 a S. Gum 22 in. dia. bran N 75 W 10th m. dist

54.04 a Beech 10 " "

76.14 Let post Cor. to Secs. 31 & 32, from which
 a Beech 15 in. dia. bran S 77 E 9th m. dist
 a do. 16 " " " N 49 W 11 " "

East On S. boundary of Sec. 32

40.00 Let q^r. Sec. post, from which

a Beech 15 in. dia. bran S 36 W 4th m. dist

a do. 11 " " " N 46 E 18 " "

79.40 a Beech 30 " "

80.00 Let post Cor. to Secs. 32 & 33, from which

a Beech 10 in. dia. bran N 61 E 14th m. dist

a do 22 " " " S 62 W 26 " "

East On S. boundary of Sec 33

40.00 Let q^r. Sec. post, from which

a Beech 10 in. dia. bran N 53 E 18th m. dist

Set N 9 E. 2nd Mer. Ind. 105⁻
ch. 1/4

a Sugar 7 mi. dist. by S 6 1/2 E 4 1/4 km. dist.
60.00 at Beech 24 " " " " " " " " " "
80.00 at post Cor. to Sec. 33 & 34, from which
a Poplar 40 mi. dist. by N 37 1/2 E 22 1/4 km. dist. &
a Beech 10 " " " " S 37 E 16 " "

East On S. boundary of Sec. 34

40.00 at gr. Sec. post, from which
a Sugar 9 mi. dist. by N 84 1/2 E 24 1/4 km. dist. &
a Beech 20 " " " " N 61 1/2 E 17 " "
80.00 at post Cor. to Sec. 34 & 35 from which
a Beech 15 mi. dist. by N 20 E 18 1/4 km. dist. &
a Do. 18 " " " " S 33 1/2 E 7 1/8 " "

East On S. boundary of Sec. 35

40.00 at gr. Sec. post, from which
a Beech 24 mi. dist. by N 53 E 12 1/4 km. dist. &
a Do. 11 " " " " S 76 1/2 E 24 " "
80.00 at post Cor. to Sec. 35 & 36, from which
a Poplar 42 mi. dist. by N 34 E 3 1/4 km. dist. &
a Hickory 13 " " " " S 34 1/2 E 10 " "

East On S. boundary of Sec. 36

40.00 at gr. Sec. post, from which
a Sugar 12 mi. dist. by S 34 E 17 1/4 km. dist. &
a B. Oak 10 " " " " N 36 1/2 E 15 " "
64.95 a Beech 18 " " " " " " " "
80.00 Tr. Township Cor. Dec. 3rd 1806

East Boundary var. 5.30 E.
North On E. boundary of Sec. 36
6.60 a brook 5 km. wide Cr. W.
15.02 at Beech 22 mi. dist.
26.95 a B. Oak 30 " " " "
29.70 a brook 5 km. wide Cr. W.
36.30 a Do. 4 " " " " N. W.

106 S. N. 119 E. 2nd Mer. Indiana

ch. 1/2

- 40.00 Set q. Sec. post, from which
a Beech 30 in. dia. (bray) N 76° W 30 in. dia. &
a do. 22 " " " S 60° E 34 " "
56.25 at Brook 5 in. wide E. S. W.
62.20 a do. 10 " " " W.
80.00 Set post cor. to Sec. 25 & 36, from which
a Beech 15 in. dia. (bray) N 64° W 18 in. dia. &
a Sugar 13 " " " S 51° E 15 " "
Sand waving, Beech, Poplar, Sugar Hick, Oak &c.
-

North On E. boundary of Sec. 25

- 3.90 at Brook 20 in. wide com. S. W.
4.46 a Lycamore 48 in. dia.
33.20 at Brook 5 in. wide E. S. W.
35.29 at Beech 13 in. dia.
40.00 Set q. Sec. post, from which
a Beech 12 in. dia. (bray) N 36° E 12 in. dia. &
a do. 13 " " " S 47° W 13 " "
57.10 at Brook 6 in. wide E. S. W.
68.64 a Sugar 15 in. dia.
80.00 Set post cor. to Sec. 24 & 25, from which
a Maple 14 in. dia. (bray) N 66° E 30 in. dia. &
a Beech 7 " " " S 52° W 9 " "
Sand broken, timber Beech, Sugar, Ash,
Poplar, Oak &c.
-

North On E. boundary of Sec. 24

- 2.00 at Brook 4 in. wide E. S. W.
16.43 at Beech 17 in. dia.
23.60 at Brook 30 in. wide E. S. W.
29.40 a do. 8 " " " S. E.
40.00 Set q. Sec. post, from which
a Beech 14 in. dia. (bray) N 77° W 23 in. dia. &
a do. 20 " " " S 26° W 33 " "
45.85 at Beech 16 " "
51.53 at Sugar 16 " "

107

T. S. N. C. G. E. I. Mer. Indiana

Ch. P. M.

61.50 a Brook 30 lth. wide C. S. W.
 80.00 Let post Cor. to Sec. 13 of 24 from which
 a Beech 10 in. dia. bray N 11 E 11 lth. dist. of
 a Sugar 9 " " " 14 W 9 " "
 Land waving Beech, Sugar, Oak &c

North On E. boundary of Sec 13

16.72 a Poplar 30 in. dia.
 37.45 a Brook 4 lth. wide C. S. W.
 40.00 Let of. Sec. post, from which
 a Beech 11 in. dia. bray S 8 E 32 lth. dist. of
 a Do. 13 " " " 14 E 7 " "
 53.17 an Elm 16 " "
 57.95 a Poplar 40 " "
 74.43 a Gum 18 " "
 80.00 Let post Cor. to Sec. 12 of 13, from which
 a Beech 17 in. dia. bray North 26 lth. dist. of
 a Do. 20 " " " 14 W 24 "
 Land level timber Beech, Oak, Hickory
 Sugar, Maple &c

North On E. boundary of Sec. 12

20.35 a Beech 22 in. dia.
 40.00 Let of. Sec. post, from which
 a Beech 16 in. dia. bray N 11 E 20 lth. dist. of
 a Do. 9 " " " 14 W 29 " "
 49.80 a Beech 30 " "
 53.25 a Brook 12 lth. wide C. S. W.
 68.45 a Sugar 13 in. dia.
 80.00 Let post Cor. to Sec. 11 of 12, from which
 a Sugar 9 in. dia. bray N 2 E 23 lth. dist. of
 a Beech 10 " " " 12 E 3 " "
 Land level timber Beech, Sugar, Poplar, Ash,
 Oak, &c.

North On E. boundary of Sec. 1

S. N. R. G. T. Mer. Indiana

ch. 2th19.30 a Brook 20th lth. wide cr. S. W.

26.46 a Sycamore 42 in. dia.

34.25 a Brook 50th lth. wide cr. S 80° W. line run up it40.00 Set q^r. Sec. post in Brook from whicha Sycamore 12 in. dia. - bray N 89° W 52th lth. dist of

a do. 14 " " " S 69° W 74 " "

43.00 leave the above brook course up it N. W.

75.00 Same brook run S. W.

80.00 Set post Cor. to Township 8 & 9 North,

Range 9 & 10 East, from which

an Elm 24 in. dia. - bray N 19° E 13th lth. dist of

a do. 12 " " " N 60° W 5 " "

Land level greater part bottom, timber Beech
Sugar, Walnut, Sycamore &c.

North Boundary

West On S. boundary of Sec. 36, T. 9 N. R. 9 E.

11.35 a Brook 5th lth. wide cr. S. W.

31.62 a Beech 18 in. dia.

40.00 Set q^r. Sec. post, from whicha Beech 10 in. dia. - bray N 55° W 24th lth. dist of

a do. 10 " " " N 15° W 12 " "

80.00 Set post for Cor. to Sec. 35 & 36, from which

a Maple 8 in. dia. - bray N 11° E 6th lth. dist of

a do. 13 " " " N 40° W 20 " "

Land level timber Beech, Oak, Hickory, Maple &c.

West On S. boundary of Sec. 35, T. 9 N. R. 9 E.

8.22 Intersected Boundary line and set post, from which

a Beech 14 in. dia. - bray N 32° E 9th lth. dist of

a Maple 20 " " " S 78° E 9 " "

Surveyed Dec. 4th. 1806, by John Brownson, D. S.40.00 Set q^r. Sec. post, from whicha Beech 8 in. dia. - bray N 88° E 13th lth. dist of

a do. 12 " " " S 67° W 12 " "

61.42 a W. Oak 24 " "

T8 N. R9 E. 2.^d Mer. Indiana 109

ch. l. by

80.00 At post post cor. to Sec. 34 & 35, from which
a B — 15 mi. dist. by N 75° W 12 km. dist. of
a B — 24 " " " S 54° E — " "
Sand level, timber Beech, Oak, Sugar (maple,
etc. undergth Spruce &c

Nest On S. boundary of Sec. 34, T8 N. R9 E.

0.03 enter fallen timber S. W.

40.00 At gr. Sec. post, from which
a B — 9 mi. dist. by N 66° E 20 km. dist. of
a Sugar 15 " " " S 77° W 20 " "

58.14 at Beech 24 " "

80.00 At post cor. to Sec. 33 & 34, from which
a B — 15 mi. dist. by N 80° E 15 km. dist. of
a do 8 " " " N 38° W 14 " "
Sand level, Beech, Elm, Gum, Hickory Oak &c.
undergth Spruce

Nest On S. boundary of Sec. 33, T8 N. R9 E

9.85 at Beech 24 mi. dist.

33.21 a do. 24 " "

40.00 At gr. Sec. post, from which
a Beech 12 mi. dist. by N 66° W 18 km. dist. of
a do. 8 " " " N 80° E 13 " "

80.00 At post cor. to Sec. 32 & 33, from which
a Beech 8 mi. dist. by N 76° E 20 km. dist. of
a do. 8 " " " N 29° E 27 " "
Rolling land timber Beech, Sugar, Poplar, Spruce &c.

Nest On S. boundary of Sec. 32, T8 N. R9 E

3.00 a Creek 40 km. wide C. S.

40.00 At gr. Sec. post, from which
a Beech 6 mi. dist. by N 45° E 7 km. dist. of
a do. 5 " " " S 15° W 11 " "

56.37 at Beech 30 " "

59.00 a Creek 100 km. wide C. S.

T8 N. R9 E. 2^d. Mer. Indianach^d l^y

80.00 Set post cor. to Sec. 31 & 32, from which
 a Beech 6 mi. dist. by N 61 E 15 l^y. dist. of
 a do. 18 " " " N 43 W 3 " "
 Broken land, Soil good, timber Beech, Ash
 Poplar &c. undergth Spruce, Sassafras &c.

West On S. boundary of Sec. 31, T8 N. R9 E.

40.00 Set of Sec. post, from which
 a Beech 24 mi. dist. by S 17 W 15 l^y. dist. of
 a do. — " " " N 51 W 11 " "

66.10 a Creek 30 l^y. wide Crs. S. W.

87.00 Intersected Town Corner

Low level land good Soil, timber Beech, Poplar
 Sugar, Ash &c., undergth Spruce &c.

June 11th. 1819

John M^c. Donald, A. S.

West Boundary var. S. 30 E

North On E. boundary of Sec. 36, T8 N. R8 E.

0.96 a Beech 40 mi. dist.

28.65 a do. 13 " "

35.00 a Creek 50 l^y. wide Course W.

40.00 Set of Sec. post, from which
 a Sugar 40 mi. dist. by N 25 E 24 l^y. dist. of
 a Beech 5 " " " S 35 W 13 " "

56.53 a Maple 18 " "

80.00 Set post cor. to Sec. 25 & 36, from which
 a Beech 15 mi. dist. by N 82 E 18 l^y. dist. of
 a do. 10 " " " S 50 W 25 " "
 Land flat, Beech, Maple, Gum Oak &c

North On E. boundary of Sec. 25, T8 N. R8 E.

5.80 a Poplar 38 mi. dist.

13.60 a Beech 16 " "

40.00 Set of Sec. post, from which
 a Beech 24 mi. dist. by N 85 E 15 l^y. dist. of

11
T8 N. R9 E. 2^d. Mer. Indiana
ch. 1st 1/2

a Beech 11 mi. dist. branch N 77° 11' E 11 1/2 mi. dist. of
a Brook 25 1/2 mi. wide runs S. W.
60.75 a do 20 " " " " N. W.
71.82 a Beech 30 mi. dist.
80.00 Set post Cor. to Sec. 24 & 25, T8 N. R8 E, from which
a Beech 9 mi. dist. branch N 87° 1/2 E 7 1/2 mi. dist. of
a do. 24 " " " " N 59° 11' 39 " "
Land waving good, Beech, Sugar Oak, Poplar &c

North On Co. boundary of Sec. 24, T8 N. R8 E.
10.50 a Brook 6 1/2 mi. wide Course N. 50 1/2 mi. where it
falls into a Brook 20 1/2 mi. wide a short bend
40.00 Set q. Sec. post, from which
a Beech 7 mi. dist. branch N 89° E 37 1/2 mi. dist. of
a do. 15 " " " " N 89° 11' 34 " "
59.37 Intersected boundary line Set post, from which
a Beech 9 mi. dist. branch N 67° 11' 9 1/2 mi. dist. of
a do. 8 " " " " N 77° E 19 " "
Land timber &c. Same as on last mile
November 10th 1806

John Brownson, A.S.

From boundary line
18.63 Set post Cor. to Sec. 13 & 24, from which
a Beech 20 mi. dist. branch N 66° E 28 1/2 mi. dist. of
a do. 10 " " " " N 30° 11' 6 " "

North On Co. boundary of Sec. 13, T8 N. R8 E.
6.00 a Creek 120 1/2 mi. wide Course S. W.
19.65 a Branch 12 " " " " S. E.
40.00 Set q. Sec. post, from which
a Beech 9 mi. dist. branch N 88° 11' 23 1/2 mi. dist. of
a do. 6 " " " " N 75° E 5 " "
80.00 Set post Cor. to Sec. 12 & 13, from which
a Beech 14 mi. dist. branch N 65° E 24 1/2 mi. dist. of
a Hickory 9 " " " " N 52° 11' 38 " "
Net land, timber Ash, Elm &c.

T8N R9E. 2nd Mer. Indiana

ch. l. l. l.

North On E. boundary of Sec. 12, T8N, R8E.

18.00 enter fallen timber & brushy

40.00 Set q. Sec. post, from which

a Gum 4 mi. dist. bearing N 35 E 24 l. l. dist. of

a do. 6 " " " " N 25 E 12 " "

49.00 enter timber bearing S. W. of S. E.

80.00 Set post Cor. to Sec. 1 of 12, from which

a Beech 12 mi. dist. bearing S 5 W 15 l. l. dist. of

a do. 18 " " " " N 35 E 31 l. l. dist. of

Low Brushy land

North On E. boundary of Sec. 1, T8N, R8E.

19.85 a Creek 50 l. l. wide C. S. W.

40.00 Set q. Sec. post, from which

a Beech 9 mi. dist. bearing S 58 E 7 l. l. dist. of

a do. 7 " " " " S 61 W 13 " "

47.55 at Brook 4 l. l. wide Corner S. E.

52.70 at Branch 15 " " " S. W.

55.70 Same 15 " " " S. E.

72.70 Same 15 " " " S. W.

78.85 Set post Cor. to Township 8 of 9 North,

Range 8 of 9 East from which

a Beech 15 mi. dist. bearing N 81 W 14 l. l. dist. of

a do. 9 " " " " S 11 W 17 " "

Broken land, timber Beech, Ash, Poplar

Elm &c. m. d. g. t. Spruce, good soil

June 1819, John McDonald,

Deputy Surveyor

Subdivision

January 23rd 1817.{ var 5.00' on N & S.
" 6.20' on East & West

North Between Sec. 35 & 36

20.00 a Beech 11 mi. dist.

40.00 Set q. Sec. post, from which

a Beech 12 mi. dist. bearing S 40 E 15 l. l. dist. of

a do. 6 " " " " N 81 W 28 " "

T8N R9E 2^d Mer. Indiana 113

ch. 167

- 71.00 a Creek 30 lks. wide Course W.
 80.00 Set post Cor. to Sect. 25, 26, 35 & 36, from which
 a Beech 13 in. dia. bears N 45 E 21 lks. dist. &
 a No. 7 " " " S 85 W 24 " "
 Land Broken timber Beech Sugar Poplar Ash &c.
 poor farming Land
-

- East On Random between Sect. 25 & 36,
 76.00 a Brook 10 lks. wide Course S. W.
 79.69 Intersected the E. boundary 119 lks. N. of post
 the first half mile Land and timber same the
 last rolling and good for farming.
-

- West Connected between Sect. 25 & 36
 39.84 Set q. Sec. post. at average dist. from which
 a B. Ash 6 in. dia. bears N 37 E 25 lks. dist. &
 a Hickory 10 " " " S 54 W 6 " "
 79.69 to Section Corner
-

- North Between Sect. 25 & 26
 20.16 a Sugar 15 in. dia.
 28.00 a Creek 100 lks. wide Course S. W.
 40.00 Set q. Sec. post. from which
 a Beech 14 in. dia. bears S 8 E 32 lks. dist. &
 an Elm 16 " " " N 31 E 30 " "
 59.59 a Beech 7 " "
 80.00 Set post Cor. to Sect. 23, 24, 25 & 26, from which
 a Beech 8 in. dia. bears S 2 E 27 lks. dist. &
 a No. 10 " " " N 38 W 21 " "
 Land rolling timber same good farming Land
-

- East On Random between Sect. 24 & 25
 29.00 a Creek 60 lks. wide Course S. W.
 40.00 Set temp. q. Sec. post
 80.42 Intersected the E. boundary 127 lks. N. of post.
 the first half mile good farming Land the last

114

T8 N 129 E 2nd Mer. Ind^a.Ch. 1st

Broken and poor timber Same

West Corrected between Sect. 24 & 25
 40.21 Set of Sec. post, at average dist, from which
 a Beech 12 in. dia. bears S 29 E 16 lbs. dist. 4
 a Do. 12 " " " N 19 W 21 " "
 80.42 To Section Corner

North Between Sect. 23 & 24
 27.19 a Beech 28 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 13 in. dia. bears N 33 W 14 lbs. dist. 4
 a Do. 15 " " " S 50 E 12 " "
 80.00 Set post Cor. to Sect. 13, 14, 23 & 24, from which
 a Beech 18 in. dia. bears S 21 W 5 lbs. dist. 4
 a Do. 18 " " " N 27 E 21 " "
 Land and timber Same

East On Boundary between Sect. 13 & 24
 31.00 a Creek 80 lbs. wide Course S.
 40.00 Set temp. of Sec. post
 81.10 Intersected the E. boundary 68 lbs. N. of post.
 Land rolling timber Same middling farming land

West Corrected between Sect. 13 & 24
 41.05 Set of Sec. post, at average dist. from which
 a Beech 10 in. dia. bears N 86 E 14 lbs. dist. 4
 a Do. 10 " " " S 73 W 41 " "
 81.10 To Section Corner

January 25th 1807.

North Between Sect. 34 & 35
 30.56 a Sugar 18 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 5 in. dia. bears S 17 E 20 lbs. dist. 4
 a Do. 10 " " " N 16 E 18 " "

S. N. R. G. E. 2nd Mer. Indiana 115

Ch. P. L. H.

63. 00 a Beech 10 in. dia.

81. 00 Set post Cor. to Sect 26, 27, 34 & 35, from which
a Beech 8 in. dia. bears S 54 N 10 lbs. dist. &
attchng. 9 " " " N 3 E 14 "
Land a little rolling timber Beech Sugar Poplar
Oak &c. good farming Land.

East On Random between Sect 26 & 35. var. 5. 00' E.

25. 00 a small brook course S. E.

40. 00 Set temp. of. Sec. post

45. 00 a small brook course S. E.

56. 50 a Brook 70 lbs. wide course S.

78. 04 Intersected the N. & S. line 171 lbs. S. of post
the first half mile rather broken timber Beech Sugar
Poplar Ash Walnut Sycamore &c. no undergrowth
good farming Land.

West Corrected between Sect. 26 & 35.

39. 02 Set of. Sec. post, at average dist. from which
a Maple 12 in. dia. bears S 14 E 22 lbs. dist. &
an Elm 18 " " " N 10 E 39 " "

78. 04 To Section Corner

North Between Sect. 26 & 27

21. 90 a Poplar 40 in. dia.

40. 00 Set of. Sec. post, from which
a Beech 12 in. dia. bears S 80 E 19 lbs. dist. &
a Do. 8 " " " N 76 N 22 " "

80. 00 Set post Cor. to Sect. 22, 23, 26 & 27, from which
a Beech 16 in. dia. bears S 8 N 19 lbs. dist. &
a Do. 20 " " " N 31 E 11 "
Land level timber Beech Poplar Maple Gum
Ash &c. rather poor farming Land

East On Random between Sect. 23 & 26

40. 00 Set temp. of. Sec. post

S. N. R. G. E. 2^d. Mer. Indianach. 2th

77.73 Intersected the N. & S. line 90 lks. S. of post.
Land broken timber Beech Sugar Poplar &c. hardly
muddling farming Land

West Corrected between Sect. 23 & 26

38.86 Set of. Sec. post, at average dist. from which
a Beech 7 in. dia. bears S 34 E 4 lks. dist. &
a No. 12 " " " N 32 W 40 " "

77.73 to Section Corner

North Between Sect. 22 & 23

20.06 a Beech 12 in. dia.

20.50 a Small brook course W.

40.00 Set of. Sec. post, from which
a Beech 5 in. dia. bears S 3 W 27 lks. dist. &
a No. 18 " " " N 3 W 17 " "

67.16 a Beech 18 " "

80.00 Set post Co. to Sect. 14, 15, 22, 23, from which
a Beech 15 in. dia. bears N 48 E 26 lks. dist. &
a No. 10 " " " S 62 W 25 " "
Land level timber Oak, Hickory, Gum, Beech, &c.
not much undergrowth poor farming Land

East On Random between Sect. 14 & 23

40.00 Set Temp. of. Sec. post.

77.87 Intersected the N. & S. line 87 lks. S. of post.
Land and timber Same

West Corrected between Sect. 14 & 23

38.93 Set of. Sec. post, at average dist. from which
a Beech 10 in. dia. bears S 76 E 16 lks. dist. &
a No. 13 " " " N 2 E 22 " "

77.87 to Section Corner

January 24th 1807 var. 4th 30' E.

North Between Sect. 13 & 14

117

T8 N9 E. 2. Mer. Indiana

ch. l. l. l.

23.71 a Sugar 10 in. dia.

40.00 Set q. Sec. post. from which
a Beech 7 in. dia. bears S 34 E 5 lks. dist. 4

a No. 15 " " " N 3 E 24 " "

63.50 a Brook 15 lks. wide Course E.

80.00 Set post Cor. to Sect. 13, 14, 11 & 12, from which
a Beech 12 in. dia. bears S 60 E 17 lks. dist. 4

a No. 18 " " " N 24 W 26 " "

the first half mile rolling the last half broken-
timber Sugar Beech Oak Poplar &c. rather poor
farming Land

East On Brand between Sect. 12 & 13

41.00 Set temp. q. Sec. post. var. 4.00' E.

80.84 Intersected the E. boundary 2.42, lks. N. of post.
Land rolling timber same middling good Land
for farming

West Corrected between Sect. 12 & 13

40.12 Set q. Sec. post, at average dist. from which
a Poplar 30 in. dia. bears N 53 E 4 lks. dist. 4

a Sugar 8 " " " S 4 W 19 " "

80.84 to Section Corner

North Between Sect. 11. & 12

20.40 a Beech 7 in. dia.

40.00 Set q. Sec. post, from which

a Beech 18 in. dia. bears S 46 W 25 lks. dist. 4

a B. Oak 36 " " " N 36 E 33 " "

80.00 Set post Cor. to Sect. 1, 2, 11, & 12, from which

a W. Ash 20 in. dia. bears S 83 E 28 lks. dist. 4

a Beech 12 " " " N 85 W 22 " "

the first half mile level poor the last a little
rolling and good for farming, timber same

East On Brand between Sect. 1 & 12

S. N. R. G. 2^d. Mer. Indianach. 1st

- 40.00 Set temp. of. Sec. post.
 65.50 a Creek 60 lvs. wide course S.
 80.08 Intersected the E. boundary 32 lvs. N. of post
 Land part level and part rolling timber same
 middling farming Land

- West Corrected between Sec. 1 & 12
 40.04 Set of. Sec. post, at average dist. from which
 a Beech 18 in. dia. bears N 22 E 26 lvs. dist. 4
 a No. 11 " " " West 15 " "
 80.08 to Section Corner

- North Between Sec. 1 & 2.
 20.00 a small brook course E.
 22.29 a Beech 17 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 16 in. dia. bears S 42 E 17 lvs. dist. 4
 a No. 14 " " " N 37 W 21 " "
 62.68 a Beech 8 " "
 73.60 Intersected the N. boundary 1.12. lvs. N. of post.
 Set post corner to Sec. 1 & 2, from which
 a Maple 12 in. dia. bears S 36 W 17 lvs. dist. 4
 a Beech 10 " " " N 78 E 35 " "
 Land level timber Beech Sugar Poplar Hickory Gum
 Oak &c. middling farming Land-

January 25th 1807.

- North Between Sec. 14 & 15
 28.16 a Beech 12 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 14 in. dia. bears S 45 E 23 lvs. dist. 4
 a No. 14 " " " N 30 W 45 " "
 60.76 a Beech 15 " "
 81.00 Set a post Cor. to Sec. 14, 11, 14 & 15, from which
 a Beech 8 in. dia. bears S 9 W 14 lvs. dist. 4
 a No. 15 " " " N 34 E 21 " "

St. N. R. 9 E. 2^d. Mer. Indiana 119
Ch. 11th

Land level timber Beech Gum Hickory &c. not
much undergrowth poor farming Land-

East On Random between Sect. 11 & 14

40.00 Set temp. q. Sec. post

77.75 Intersected the N. & S. line 87 lbs. S. of post
the first half mile land and timber same the
last rolling timber Beech Poplar Sugar Ash &c.
middling land for farming-

West Corrected between Sect. 11 & 14

38.87 Set q. Sec. post, at average dist. from which
a Beech 10 in. dia. bears N 32 W 5 lbs. dist. 4
a Sugar 9 " " " S 15 E 28 " "

77.75 to Section Corner

North Between Sect. 10 & 11

20.94 a S. Gum 18 in. dia.

40.00 Set q. Sec. post, from which
a Beech 16 in. dia. bears N 75 W 5 lbs. dist. 4
a Hick. 16 " " " N 85 E 16 " "

63.81 a Beech 9 " "

80.00 Set post Cor. to Sect. 2, 3, 10 & 11, from which
a W. Ash 18 in. dia. bears S 17 W 10 lbs. dist. 4
a Gum 18 " " " N 6 E 17 " "

Land level timber Oak Gum Maple &c.
poor farming Land-

East On Random between Sect. 2 & 11

40.00 Set temp. q. Sec. post

66.00 a Brook 10 lbs. wide Course S. E.

78.42 Intersected the N. & S. line 135 lbs. S. of post.
the first half mile Land and timber same, the
last rolling middling good farming Land

West Corrected between Sect. 2 & 11

S 8 N - R 9 E. 2nd. Mer. Indiana

Ch. P. 1/4

39.21 Set of. Sec. post. at average dist. from which
a Beech 8 in. dia. bears S 82° 11' 9" E 1/4 dist. 4
a No. 9 " " " N 66° E 18 " "

78.43 to Section Corner

North Between Sect. 2 & 3.

20.84 a Beech 13 in. dia.

28.20 Intersected the boundary line, from which
a Beech 8 in. dia. bears S 18° 11' 13" E 1/4 dist. 4
a No. 5 " " " N 47° E 41 " "

Land rolling timber Beech, Sugar, Ash, &c. good for
farming Land

West Between Sect. 3 & 10

34.81 a Beech 16 in. dia.

40.00 Set of. Sec. post. from which
an Elm 18 in. dia. bears N 85° E 11 1/4 dist. 4
a Beech 20 " " " S 40° 11' 20 " "

43.70 Intersected the boundary line, from which
a Beech 8 in. dia. bears N 48° E 11 1/4 dist. 4
a Maple 15 " " " S 2° 11' 16 " "

Land level timber Beech Gum Hickory Oak &c.
middling good farming Land

January 26th 1807.

North Between Sect. 33 & 34

22.66 a Poplar 30 in. dia.

40.00 Set of. Sec. post. from which
a Beech 9 in. dia. bears N 29° E 2 1/4 dist. 4
a No. 8 " " " N 67° 11' 14 " "

80.00 Set post Cor. to Sect. 27, 28, 33 & 34, from which
a Beech 12 in. dia. bears N 44° E 12 1/4 dist. 4
a No. 14 " " " S 57° 11' 15 " "

Land level timber Beech, Gum, Oak, Poplar, Hickory &c.
the last half mile very poor farming Land -

121
S. St. R. G. Co. 2^d. Mer. Indiana

ch. 2. 1/2

East On Random between Sect. 27 & 34

40.00 Set temp. q. Sec. post.

79.09 Intersected the N. & S. line 21 lbs. N. of post.

Land level timber same poor farming Land

West Corrected between Sect. 27 & 34

39.54 Set q. Sec. post, at average dist. from which
a Beech 18 in. dia. bears S 17 E 15 lbs. dist. 4
a No. 20 " " " N 57 W 5 " "

79.09 to Section Corner

North Between Sect. 27 & 28

22.83 a Poplar 36 in. dia.

40.00 Set q. Sec post, from which
a Beech 9 in. dia. bears S 75 W 17 lbs. dist. 4
a No. 7 " " " N 69 E 13 " "

62.90 a Beech 9 " "

64.00 a small hook course N. W.

80.00 Set post Cor. to Sect. 21, 22, 27 & 28, from which
a Beech 12 in. dia. bears N 84 E 7 lbs. dist. 4
a No. 11 " " " S 54 W 29 " "

Land level timber same middling good for
farming Land

East On Random between Sect. 22 & 27

40.00 Set temp. q. Sec. post

79.68 Intersected the N. & S. line 52 lbs. N. of post.

Land and timber same

West Corrected between Sect. 22 & 27

39.84 Set q. Sec. post, at average dist. from which
a Beech 18 in. dia. bears S 84 E 3 lbs. dist. 4
a No. 8 " " " S 83 W 7 " "

79.68 To Section Corner

North Between Sect. 21 & 22.

St R962nd Mer Indiana ch. lth

20.67 a Beech 5 in dia.

40.00 Set q. Sec. post, from which
a Beech 5 in. dia. bears N89E 19 lks. dist. &
a Do. 13 " " " S76W 36 " "

58.19 a Beech 12 " "

80.00 Set post Cor. to Secs. 15, 16, 21, & 22, from which
a Beech 8 in. dia. bears N31W 13 lks. dist. &
a Do. 6 " " " S46E 11 " "
Land & timber Same

East On Random between Secs. 15 & 22

40.00 Set temp. q. Sec. post.

79.69 Intersected the N. & S. line 69 lks. N. of post.
Land level timber Same poor farming Land

West Corrected between Secs. 15 & 22

39.84 Set q. Sec. post, at average dist. from which
a Beech 18 in. dia. bears N2E 27 lks. dist. &
an Elm 18 " " " S5E 19 " "

79.69 to Section Corner.

January 27th 1807.

North Between Secs. 32 & 33

21.67 a Beech 7 in. dia.

40.00 Set q. Sec. post, from which
an Elm 14 in. dia. bears S15E 25 lks. dist. &
a Sugar 14 " " " N48W 7 " "

45.00 a Brook 10 lks. wide Course S.W.

60.34 a Cherry 14 in. dia.

80.00 Set post Cor. to Secs. 28, 29, 32 & 33, from which
a Beech 12 in. dia. bears S89W 23 lks. dist. &
a S. Gum 10 " " " N77E 24 " "

Land a little rolling timber Beech, Sugar, Gum,
Poplar, Elm, Maple &c. not much undergrowth
middling farming Land

123

S. N. R. 9 E. 2^d Mer. Indiana

Ch. 1st

East On Prandon between Sect. 28 & 33.

40.00 Set q. Sec. post, temporarily

79.90 Intersected the N. & S. line 10 lbs. N of post
Land and timber same

West Corrected between Sect. 28 & 33

39.95 Set q. Sec. post, at average dist. from which
a Beech 6 in. dia. bears S 31 E 14 lbs. dist. 4.

a No. 9 " " " N 18 W 29 " "

79.90 To Section Corner

North Between Sect. 28 & 29

26.35 a Beech 9 in. dia.

37.00 a Brook 10 lbs. wide Course S. W.

40.00 Set q. Sec. post, from which

a Beech 11 in. dia. bears S 21 E 28 lbs. dist. 4

a No. 9 " " " N 13 W 32 " "

63.22 a Beech 9 " "

80.00 Set post Cor. to Sect. 20, 21, 28, & 29, from which

a Beech 12 in. dia. bears N 75 W 13 lbs. dist. 4

a No. 7 " " " N 78 E 17 " "

Land and timber same

East On Prandon between Sect. 21 & 28.

40.00 Set temp. q. Sec. post.

52.80 a Branch 10 lbs. wide course S. W.

80.60 Intersected the N. & S. line 12 lbs. N. of post
Land and timber same

West Corrected between Sect. 21 & 28

40.30 Set q. Sec. post, at average dist. from which

a Beech 12 in. dia. bears N 54 W 9 lbs. dist. 4

a No. 12 " " " N 87 E 21 " "

80.60 to Section Corner

North Between Sect. 20 & 21.

124 S & N 9 E. 2^d. Mer. Indiana

ch^l l^hy

21.94 a Beech 18 in. dia.

40.00 Set q^r. Sec. post, from which
a Beech 10 in. dia. bears S 26 W 10 l^hs. dist. &
a No. 14 " " " N 59 E 29 " "

62.00 a Creek 20 l^hs. wide Course S. W.

59.22 a Beech 10 in. dia.

80.00 Set post Cor. to Sect. 16, 17, 20 & 21, from which
a Beech 27 in. dia. bears S 5 E 7 l^hs. dist. &
a Sugar 9 " " " N 20 W 13 " "
Land and timber same

East On Pradom between Sect. 16 & 21

39.00 a Creek 20 l^hs. wide Course S. W.

40.00 Set temp^y. q^r. Sec. post

80.67 Intersected the N. & S. line 8 l^hs. S. of post.
Land rolling timber Beech, Sugar, Poplar, Ash,
&c good farming Land -

West Corrected between Sect. 16 & 21

40.33 Set q^r. Sec. post, at average dist. from which
a W. Ash 5 in. dia. bears S 41 E 18 l^hs. dist. &
a Beech 20 " " " N 14 W 25 " "

80.67 to Section Corner

January 28th 1807

North Between Sect. 15 & 16.

22.76 a Poplar 18 in. dia.

23.50 a Small branch Course S. W.

40.00 Set q^r. Sec. post, from which
a Beech 9 in. dia. bears N 30 E 15 l^hs. dist. &
a No. 10 " " " N 87 W 31 " "

62.58 a Beech 15 " "

80.00 Set post Cor. to Sect. 9, 10, 15 & 16, from which
a Beech 15 in. dia. bears S 20 W 9 l^hs. dist. &
a No. 15 " " " N 23 E 17 " "
Land a little rolling timber, Beech, Poplar-

125

S 8 N R 9 E 2^d Mer. Indiana
Ch. 11th
Gum, Ash, Oak &c. middling farming Land

East On Prandom between Sect. 10 & 15.

40.00 Set temp. q. of. Sec. post.

81.36 Intersected the N. & S. line 70 lbs. N. of post.
Land level timber Same poor farming Land -

West Corrected between Sect. 10 & 15

40.68 Set q. of. Sec. post. at average dist. from which
a Beech 20 in. dia. bears S 4 E 3 lbs. dist. 8
a W. Ash 7 " " " N 41 E 22 " "

81.36 to Section Corner

North Between Sect. 9 & 10.

40.00 Set q. of. Sec. post, from which
a Beech 5 in. dia. bears S 86 W. 27 lbs. dist. 4
a W. Oak 18 " " " N 73 E 13 " "

54.14 Intersected the boundary line, from which
a Beech 9 in. dia. bears S 2 W 19 lbs. dist. 4
a Do. 10 " " " N 46 E 25 " "
Land and timber Same -

North Between Sect. 16 & 17.

30.15 a Beech 20 in. dia.

40.00 Set q. of. Sec. post, from which
an Elm 12 in. dia. bears S 39 E 10 lbs. dist. 4
a Maple 14 " " " N 32 W 24 " "

61.67 a Beech 28 " "

80.00 Set post. Cor. to Sect. 8, 9, 16 & 17, from which
a Beech 36 in. dia. bears N 9 W 13 lbs. dist. 4
a Do. 11 " " " S 18 E 32 " "
the first half mile level the last rolling
timber the same, middling farming Land -

North Between Sect. 8 & 9.

1.35 Intersected the boundary line, from which

126 *St. Regis Co. 2^d Mer. Indiana*
ch. 14

a Beech 10 in. dia. bears S 14 E 13 lks. dist. 4
a Poplar 20 " " " N 43 E 15 " "

West Between Sect. 8 & 17

2.19 Intersected the boundary line, from which
a Poplar 30 in. dia. bears East 32 lks. dist. 4
a Homewood 4 " " " S 30 W 12 " "

East On Prandon between Sect. 9 & 16

28.00 a Brook 10 lks. wide course N. W.

32.00 a No. 10 " " " S. W.

40.00 Set temp. q. Sec. post.

80.06 Intersected the N. & S. line 10 lks. N. of post.
Land and timber same

West Corrected between Sect. 9 & 16.

40.03 Set q. Sec. post, at average dist. from which
a Beech 6 in. dia. bears N 89 E 20 lks. dist. 4
a No. 9 " " " N 18 W 20 " "

80.06 to Section Corner

January 29th 1807

North Between Sect. 31 & 32

18.46 Beech 11 in. dia.

40.00 Set q. Sec. post, from which

a Beech 14 in. dia. bears N 71 W 20 lks. dist. 4

a No. 13 " " " S 88 E 18 " "

58.50 a Creek 50 lks. wide course S. W.

59.63 a Beech 20 in. dia.

80.00 Set post Cor. to Sect. 29, 30, 31 & 32, from which

a Beech 10 in. dia. bears N 79 E 24 lks. dist. 4

a No. 5 " " " N 65 W 12 " "

Land a little rolling timber the same
middling good farming land.

East On Prandon between Sect. 29 & 32.

127

S 8 N R 9 E 2^d Mer. Indiana

ch. & lb.

21.00 a Creek 30 lbs. wide Course S.W.

40.00 Set temp. q. See. post.

78.67 Intersected the N. & S. line 49 lbs. N. of post.
Land and timber same as the last mile
good farming Land -

West Corrected between Sect. 29 & 32

39.38 Set q. See. post, at average dist. from which
a Beech 27 in. dia. bears S 46 W 15 lbs. dist. &
a No. 12 " " " N 59 E 17 " "

78.67 to Section Corner

West Between Sect. 30 & 31.

21.48 a Hickory 12 in. dia.

40.00 Set q. See. post, from which
a Beech 12 in. dia. bears N 38 E 23 lbs. dist. &
a No. 18 " " " S 50 W 9 " "

56.73 a Beech 5 " "

75.69 Intersected the W. boundary 51 lbs. S. of post.
Set post Cor. to Sect. 30 & 31, from which
a S. Gum 27 in. dia. bears N 27 E 11 lbs. dist. &
a Beech 9 " " " S 38 E 43 " "
Land level timber same as on the last mile
poor farming Land

North Between Sect. 29 & 30

20.35 a Beech 8 in. dia.

40.00 Set q. See. post, from which
a Maple 18 in. dia. bears S 88 W 23 lbs. dist. &
a Beech 7 " " " S 86 E 22 " "

64.06 a No. 10 " "

80.00 Set post Cor. to Sect. 19, 20, 29 & 30, from which
a Poplar 5 in. dia. bears S 65 W 17 lbs. dist. &
a Beech 8 " " " S 59 E 27 " "
the first half mile Land and timber same
the last half mile level and very poor

S. St. N 9 E. 2nd Mer. Indiana
 ch. 14
 And very thick undergrowth

East On Prandom between Sect. 20 & 29

40.00 Set temp. of. Sec. post

79.12 Intersected the N. & S. line 64 lks. N. of post.
 Land level timber Maple, Beech, Gum,
 &c. very thick undergrowth and very poor
 farming Land -

West Corrected between Sect. 20 & 29

39.56 Set of. Sec. post, at average dist. from which
 an Elm 12 in. dia. bears S 74 W 15 lks. dist. &
 a Poplar 5 " " " N 55 E 10 " "

79.12 to Section Corner

West Between Sect. 19 & 30

20.11 a S. Gum 7 in. dia.

40.00 Set of. Sec. post, from which
 a Beech 17 in. dia. bears N 39 E 16 lks. dist. &
 a No. 9 " " " S 9 W 31 " "

76.00 Intersected the N. boundary 46 lks. S. of post
 Set post Cor. to Sect. 19 & 30, from which
 a Beech 10 in. dia. bears S 39 E 5 lks. dist. &
 a No. 10 " " " S 87 W 6 " "
 Land part level timber Beech, Sugar, Gum,
 Oak, Ash, Poplar, &c. poor farming land -

North Between Sect. 19 & 20

20.84 a Beech 8 in. dia.

40.00 Set of. Sec. post, from which
 a Beech 6 in. dia. bears S 7 E 19 lks. dist. &
 a No. 24 " " " N 13 W 23 " "

50.00 a Creek 50 lks. wide Course N. W.

80.00 Set post Cor. to Sect. 17, 18, 19 & 20, from which
 a Beech 5 in. dia. bears S 27 E 33 lks. dist. &
 a Sugar 12 " " " N 18 W 33 " "

S. St. R. & E. 2^d. Mer. Indiana 129
Ch. L. 1/2

the first half mile level the last rolling
timber same poor farming Land

North Between Sect. 17 & 18.

29.03 Intersected the boundary line, from which
a Beech 11 in. dia. bears S 60 E 24 lks. dist. &
a No. 7 " " " N 89 W 9 " "
Land rolling timber same as last mile. Land
muddling for farming

West Between Sect. 18 & 19

21 22 a Sugar 36 in. dia.

40.00 Set of. Sec. post, from which
a Gum 15 in. dia. bears S 57 E 22 lks. dist. &
a Beech 17 " " " N 14 W 27 " "

45.06 Intersected the boundary line (in a creek 100 lks.
wide Course S. W.) from which
a B. Oak 20 in. dia. bears S 79 E 67 lks. dist. &
a Poplar 18 " " " S 32 W 55 " "
Land rolling timber same as last mile
muddling farming Land

East On Random between Sect. 17 & 20

40.00 Set temp. of. Sec. post.

78.55 Intersected the N. & S. line 24 lks. N. of post.
Land part level and part rolling timber same
muddling farming Land

West Corrected between Sect. 17 & 20

39.27 Set of. Sec. post at average dist. from which
a S. Gum 9 in. dia. bears N 14 W 14 lks. dist. &
a Beech 7 " " " S 31 W 37 " "

78.55 to Section Corner

Surveyed in 1877 by
James Gilson,
Deputy Surveyor

Comp

S. N. 19 E. 2^d. Mer. Indiana

ch. 14th

In the New Purchase

North Between Sect. 2 & 3

11.80 Set of. Sec. post, from which
a Beech 10 in. dia. bears N 21 E 11 lbs. dist. 4
a Hickory 12 " " " S 33 E 13 " "

24.10 a Beech 20 " "

49.60 Intersected the N. boundary 50 lbs. N. of post.
Set post Cor. to Sect. 2 & 3, from which
a Hickory 12 in. dia. bears N 10 W 11 lbs. dist. 4
a Beech 20 " " " S 50 E 31 " "
flat wet Land Beech Hickory Maple &c.

North Between Sect. 9 & 10

15.40 a Beech 16 in. dia.

25.86 Set post Cor. to Sect. 3, 4, 9 & 10, from which
a Beech 30 in. dia. bears S 37 N 22 lbs. dist. 4
a No. 6 " " " N 10 E 3 " "
Broken 3rd rate Land Beech Oak Hickory &c.
undergrowth Dogwood-

East Between Sect. 3 & 10

37.50 Intersected Old boundary at the Corner
Land timber same as last mine

North Between Sect. 3 & 4

20.86 a Beech 20 in. dia.

40.00 Set of. Sec. post, from which
a Beech 15 in. dia. bears N 48 W 5 lbs. dist. 4
a No. 8 " " " S 4 W 23 " "

56.05 a W. Oak 20 " "

77.07 Intersected the N. boundary 69 lbs. west of post.
Set post Cor. to Sect. 3 & 4, from which
a Beech 10 in. dia. bears N 62 E 26 lbs. dist. 4
a No. 8 " " " S 46 W 14 " "
flat wet land Beech Hickory Maple &c.

131

S. N. R. G. E. D. Mer. Indiana

Ch. L. H.

North Between Secs. 8 & 9

28.55 a Beech 18 in. dia.

38.65 Set of Sec. post, from which

a Beech 10 in. dia. bears N 48 E 14 lbs. dist. 4

a No. 12 " " " S 70 W 14 " "

61.40 a W. Oak 18 " "

78.65 Set post Cor. to Secs. 4, 5, 9 & 8, from which

a Beech 20 in. dia. bears N 38 E 5 lbs. dist. 4

a Sugar 10 " " " S 37 W 28 " "

Land 3^d rate broken Beech Land undergrowth -
Dogwood Beech &c.

East On Prandon between Secs. 4 & 9.

40.00 Set temp. of Sec. post

81.62 Intersected the N. & S. line 225 lbs. S. of post

broken 3^d rate Land Beech Oak Poplar Hickory &c.
undergrowth Dogwood Spruce &c.

West Corrected between Secs. 4 & 9

40.31 Set of Sec. post, at average dist. from which

a B. Oak 36 in. dia. bears S 64 E 16 lbs. dist. 4

a Beech 8 " " " N 4 W 15 " "

80.62 to Section Corner

North Between Secs. 4 & 5

10.00 Enter fallen timber

34.00 leave the fallen timber

40.00 Set of Sec. post, from which

a Beech 12 in. dia. bears S 64 W 21 lbs. dist. 4

a No. 24 " " " S 54 E 5 " "

61.00 a Sugar 18 " "

79.50 Intersected the North boundary 100 lbs. N. of post.

Set post Cor. to Secs. 4 & 5, from which

a Beech 10 in. dia. bears N 46 E 31 lbs. dist. 4

a No. 4 " " " S 35 W 23 " "

Hilly 3^d rate Land Beech, Oak, Hickory, Sugar.

Dogwood and Beech Undergrowth

West Between Sect. 18 & 19

20. 38 a Beech 10 in. dia.

31. 74 Intersected the W. boundary 135 lks. N. of post
 Set post Cor. to Sect. 18 & 19, from which
 a Beech 4 in. dia. bears S 80 W 19 lks. dist. &
 a Dogwood 5 " " " S 36 E 22 "
 Hilly 3^d rate land Beech Oak Hickory &c.
 Undergrowth Dogwood &c.

North Between Sect. 17 & 18

10. 97 Set q. Sec. post, from which
 a Hickory 6 in. dia. bears S 72 E 10 lks. dist. &
 a Beech 24 " " " North 12 " "

31. 87 a W. Oak 36 " "

50. 97 Set post Cor. to Sect. 7, 8, 17 & 18, from which
 a Beech 10 in. dia. bears S 23 E 6 lks. dist. &
 a No. 6 " " " N 63 W 6 "
 Broken 3^d rate land Beech, Oak, Hickory, Gum,
 Undergrowth Spice

East On Prandom between Sect. 8 & 17.

40. 00 Set temp. q. Sec. post

77. 30 Intersected the old boundary line 75 lks. S. of post
 Broken 3^d rate Land - Timber same as last
 mile undergrowth Spice &c.

West Corrected between Sect. 8 & 17.

39. 74 Set q. Sec. post, at average dist. from which
 a Beech 30 in. dia. bears N 72 W 18 lks. dist. &
 a No. 5 " " " S 88 E 20 " "

77. 30 to Section Corner

West Between Sect. 7 & 18

15. 50 Cropped sand Creek 75 lks. wide Course S. 70 W.

133

S. N. R. G. E. 2^d. Mer. Indiana

Ch. 16/17

- 27.00 a W. Ash 18 in. dia.
 40.00 Set qf. Sec. post. from which
 a Beech 30 in. dia. bears West 21 lbs. dist. &
 a No. 6 " " " S 5 E 12 " "
 58.40 a Beech 16 " "
 77.10 Intersected the W. boundary 165 lbs. N. of post.
 Set post Cor. to Sec. 7 & 18, from which
 a Beech 6 in. dia. bears S 35 W 7 lbs. dist. &
 a Hickory 8 " " " N 44 E 29 " "
 Broken 3rd rate Land Beech Oak Hickory &c.
 undergrowth Spice Dogwood &c.
-

North Between Sec. 7 & 8.

- 7.50 Cropped Sand Creek Course S. W.
 25.56 a Sugar 18 in. dia.
 40.00 Set qf. Sec. post. from which
 a Beech 18 in. dia. bears N 78 W 5 lbs. dist. &
 a No. 24 " " " S 62 E 18 " "
 57.45 ab. Gum 24 " "
 65.00 Enter fallen timber
 80.00 Set post in a brier thicket no bearing trees given
 first half mile broken 2nd rate - last half mile
 flat wet Land - timber Beech, Sugar, Ash, Poplar,
 undergrowth Spice Dogwood &c.
-

East On Random between Sec. 5 & 8

- 40.00 Set temp. qf. Sec. post
 59.75 Cropped Sand Creek 100 lbs. wide Course S. W.
 62.00 leave the fallen timber
 79.62 Intersected the N. & S. line 85 lbs. S. of post.
 broken 3rd rate land very bushy -
-

West Corrected between Sec. 5 & 8.

- 17.62 to Sand Creek
 39.81 Set qf. Sec. post. at average dist. in a thicket
 no bearing trees

T^h St. R^g E. 2^d. Mer Indianach^d. l^y

79.62 to Section Corner

West Between Sect. 6 & 7
 40.00 Set of. Sec. post. in fallen timber no bearing trees
 59.20 leave the fallen timber
 63.81 a Beech 24 in. dia.
 78.32 Intersected the W. boundary 147 l^y. N. of post.
 Set post Cor. to Sect. 6 & 7, from which
 a Beech 10 in. dia. bears S 57^W 31 l^y. dist. 4
 a Maple 20 " " " S 14^E 15 " "
 flat wet Land very bushy

North Between Sect. 5 & 6
 38.50 left fallen timber
 40.00 Set of. Sec. post, from which
 a Beech 12 in. dia. bears N 45^W 8 l^y. dist. 4
 a Hickory 12 " " " S 8^W 26 " "
 57.30 a Beech 16 " "
 79.77 Intersected the N. boundary 100 l^y. W. of post.
 Set post Cor. to Sect. 5 & 6, from which
 a Beech 6 in. dia. bears N 74^E 10 l^y. dist. 4
 a Gum 14 " " " S 44^W 15 " "
 level & wet Land 3^d. rate Beech Gum Hickory
 maple &c. undergrowth Beech Spice &c.

November 27th 1819.

Surveyed By
 Nathaniel F. Morris,
 Deputy Surveyor

Comp^d.

I Certify that the foregoing transcript of field notes
of Township N^o 8 North, Range N^o 9 East 2^d Mer.
Indiana, has been Compared with the Original
notes in this Office, and found to be Correct.
Surveyor General's Office 2
Cincinnati, Oct. 26th 1842

William Johnston
Sur. Genl.